

HP Ink Tank 315 All-In-One Printer

Model No: HP-INKTANK-315



Price:

Rs. 66,899

Warranty:

- 1 Years(s) manufacturer warranty.
- 1 Year Manufacturer Warranty.

Delivery:

Delivery - Standard 3 To 5 Working Days.

- Delivery Within 3 Working Days For Colombo And Suburbs, 5 Working Days For Other Locations.
- For Any Invoice Up To Rs.9,999, A Delivery Rate Of Rs.500 Will Be Charged.
- For Any Invoice From Rs.10,000 To 19,999, A Delivery Rate Of Rs.700 Will Be Charged.
- For Any Invoice From Rs.20,000 To 49,999, A Delivery Rate Of Rs.900 Will Be Charged.
- For Any Invoice From Rs.50,000 To 99,999, A Delivery Rate Of Rs.1200 Will Be Charged.
- For Any Invoice From Rs.100,000 To 149,999, A Delivery Rate Of Rs.1500 Will Be Charged.
- For Any Invoice From Rs.150,000 And Above, A Delivery Rate Of Rs.2000 Will Be Charged.

Specifications:

- Type: Inkject Printer
- Model: Ink Tank 315
- Printing Resolution: Black (best): Up to 1200 x 1200 rendered dpi; Colour (best): Up to 4800 x 1200 optimised dpi colour(when printing from a computer and 1200 input dpi)
- Print Head / Ink Ink Bottles / Toner Cartridge: Ink Bottles
- Print Speed: Black: Up to 19 ppm (draft, A4); Up to 8 ppm (ISO); Colour: Up to 15 ppm (draft, A4); Up to 5 ppm (ISO)
- Printable Width Borderless: Yes, up to 210 x 297 mm (A4)
- Printable Area Borderless Printing: A4; B5; A6; DL envelope
- Paper Size: A4; B5; A6; DL envelope
- Paper Handling (Rear Tray): A4; B5; A6; DL envelope
- Paper Weight: A4: 60 to 90 g/m²; HP envelopes: 75 to 90 g/m²; HP cards: up to 200 g/m²; HP 10 x 15 cm photo paper:up to 300 g/m²
- Ink End Sensor: Page Count
- Print Head Alignment: Manual
- Scan Scanner Type: Flatbed
- Scan Scanning Method: Contact Image Sensor (CIS)
- Scan Optical Resolution: Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 x 1200 dpi; Enhanced: Up to 1200 dpi
- Scan Scanning Bit Depth (Input / Output): 24-bit
- Scan Maximum Document Size: Flatbed: A4/ 216 x 297 mm
- Copy Maximum Document Size: Flatbed: A4/ 216 x 297 mm
- Copy Compatible Media: Plain Paper
- Copy Image Quality: Black (text and Graphics): Up to 600 x 300 dpi; Colour (text and graphics): Up to 600 x 300 dp
- Copy Copy Speed: Black: Up to 7 cpm (ISO); Colour: Up to 2 cpm (ISO)
- Copy Maximum Number Of Copies: Up to 9 copies
- Bluetooth / NFC / Wifi: NO
- Network Network Protocol: USB
- Network Wireless LAN: Wired

- System Requirements: Microsoft® Windows® 10, 8.1, 8, Windows Vista®, Windows® XP SP3 or higher (32-bit only): Windows Server 200832-bit (SP1 or greater), Windows Server 2008 64-bit (SP1 or greater), Windows Server 2008 R2 64-bit, WindowsServer 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016, OS X v10.10 Yosemite, OS X v10.11 El Capitan, macOS Sierra v10.12 (previously OS X)
- Operation Panel: 7 segment + icon LCD
- Device Memory: Integrated
- Interface: 1 Hi-Speed USB 2.0
- Paper Output Tray: 60-sheet input tray; 25-sheet output tray
- Operating Environment: Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 30° C; Operating humidity range: 15 to 80% RH (non-condensing); Recommended operating humidity range: 20 to 80% RH;Storage temperature range: -40 to 60° C; Energy Savings Feature Technology: HP Auto-Off Technology
- Storage Environment: Storage temperature range: -40 to 60° C;
- Power Consumption: Power supply type: Internal; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz(+/- 3 Hz). High voltage: Input voltage 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3Hz); Power consumption5:10 watts maximum, 0.07 watts (Off), 2.1 watts (Standby), 0.88 watt (Sleep)
- Duty Cycle: Up to 1,000 pages
- Number Of Pages (Yield): 8,000 pages colour or 6,000 pages black
- Dimension (W x D x H): 525 x 310 x 158 mm
- Weight: 4.67 kg
- Colors: Black

Date: 2025-07-19 23:03